

Pressure suppression of unconventional CDW state in PrRu₄P₁₂ studied by optical conductivity

Monday, 23 July 2012 15:30 (12 minutes)

H. Okamura(1), M. Matsunami(2), H. Sugawara(1), H. Sato(3), C. Sekine(4)

(1) Physics Department, Kobe University, Kobe 657-8501, Japan.

(2) Institute for Molecular Science, Okazaki 444-8585, Japan.

(3) Tokyo Metropolitan University, Hachioji 192-0397, Japan.

(4) Muroran Institute of Technology, Muroran, 050-8585, Japan.

Application of external pressure is a powerful tool to explore novel electronic states in strongly correlated materials. Optical conductivity $s(\omega)$ technique has been an important method to probe them, since other spectroscopic methods such as photoemission and tunneling cannot be performed with a pressure cell. We have recently made high pressure $s(\omega)$ studies of correlated materials including YbS [1], CeRu₄Sb₁₂ [2], SrFe₂As₂ [3] and PrRu₄P₁₂ [4]. Here we present results on the filled skutterudite compounds PrRu₄P₁₂ [4] and CeRu₄Sb₁₂ [2] at high pressures to 14 GPa and at low temperatures to 8 K. PrRu₄P₁₂ at ambient pressure and low temperature is insulating with a clear energy gap in $s(\omega)$ [5]. This insulating state results from an unconventional CDW involving Pr sublattices with different f electron levels, unlike the usual CDW involving lattice deformation. With increasing pressure, the energy gap in $s(\omega)$ is progressively filled in, and it is completely suppressed at 14 GPa and below 30 K. The pressure evolution of the unique f electron state will be discussed based on the $s(\omega)$ data. CeRu₄Sb₁₂ at ambient pressure, in contrast, is a heavy fermion metal, but large increases of resistivity with pressure had been previously reported. In the measured $s(\omega)$, a pronounced mid-IR peak, which is due to hybridization gap [6], shifts to higher energy with pressure [2]. Our result suggests that CeRu₄Sb₁₂ is tuned by pressure from a heavy fermion metal into a Kondo insulator.

[1] M. Matsunami, H. Okamura et al., Phys. Rev. Lett. 103, 237202 (2009).

[2] H. Okamura et al., J. Phys. Soc. Jpn. 80, 084718 (2011).

[3] H. Okamura et al., Proc. SCES 2011, to appear.

[4] H. Okamura et al., submitted (2012). (arXiv:1202.3007)

[5] M. Matsunami, H. Okamura et al., Phys. Rev. B 72, 073105 (2005).

[6] S. V. Dordevic et al., Phys. Rev. Lett. 86, 684 (2001).

Primary author: OKAMURA, Hidekazu (Kobe University)

Presenter: OKAMURA, Hidekazu (Kobe University)

Session Classification: Correlated Physics

Track Classification: Correlated Physics