Contribution ID: 29

Type: Poster

## Topological surface state dispersion measured using THz magneto-ellipsometry

Monday, 23 July 2012 20:00 (2 hours)

Jason N. Hancock, J. L. M. van Mechelen, Alexey Kuzmenko, Dirk van der Marel, University of Geneva

Christophe Brune, Elena Novik, Georgy Astakhov, Hartmut Buhmann, Laurens Molenkamp, Wurzburg University

We present an ambient field and magneto-optical study of the three-dimensional topological insulator, strained HgTe. The ac conductance of the thin film is in good agreement with the dc transport data which which show a quantum Hall effect of topological surface states at high field and low temperature. Using polarization-sensitive time-domain THz spectroscopy in a magnetic field, reliable information on the Drude weight and cyclotron resonance frequency severely constrain the details of surface state dispersion within 1meV of the Fermi level. Details of the technique and its prospect for future observation of axion electrodynamics using THz spectroscopy will also be discussed. C. Brune, et al, Phys. Rev. Lett. 106, 126803 (2011), Hancock, et al. Phys. Rev. Lett. 107, 136803 (2011)

Primary author: HANCOCK, Jason (University of Geneva/University of Connecticut)Presenter: HANCOCK, Jason (University of Geneva/University of Connecticut)Session Classification: Poster Session 1

Track Classification: Topological Insulators