


Status: Tracking performance of EPIC

Berkeley EIC meeting

17. 10. 2023


Minjung Kim

Tracking performance evaluation




- From true particle (signal):
 - Generated hits
 - Particle trajectory represented by track parameters
- Track reconstruction:
 - Reconstructed (measured) hits
 - Reconstructed track from reconstructed (measured) hits
- Questions:
 - How many generated hits reconstructed (measured)?
 - How good does reconstructed track reproducing true particle?
 - How to distinguish the best track out of a set of duplicate tracks?

Matching between particle and track





- Matching can be complicated for the with high multiplicity events (having many signal particles)
- Matching using geometrical properties, i.e. eta and/or phi might be not enough
- Hit level matching: Association of reconstructed (measured) hits to generated hits: Matching with the particle giving largest contribution of hits for given track

Consistency between different matching methods




- Three different matching methods used:
 - Hit level matching: check the source of hits in the track and matching to the particle giving maximum contribution
 - pT based matching: matching reconstructed track with the particle having the closest value of pT

$$\text{haversine}\left(\frac{d}{r}\right) = \text{haversine}(\phi_2 - \phi_1) + \cos(\phi_1) \cos(\phi_2) \text{haversine}(\lambda_2 - \lambda_1)$$




- Angular distance based matching gives more than 98% consistent result with hit level matching



Fraction of hits from matching particle



- Most of tracks from one matching MC particle
- interesting to see how it is in more complicated events (i.e. high Q^2 DIS)
- Hit reconstruction efficiency, as well as track reconstruction efficiency should be accessed in other direction, from MC particle to reconstructed track




Duplicated tracks



backup

Status and outlook



- Missing information in standard “ElCrecon” output:
- Link between **generated hits** and **true particle trajectory**
 - ➡ Available in npsim output; hard wiring to ElCrecon output
- Link between **measured hit** and **reconstructed track**
 - ➡ Private modification of ElCrecon (parallel to Shujie’s update) without modification of data models
- Solving duplicate track issue (ambiguity resolution) + tracking performance study including efficiency