


# Welcome Back

---




## Updates

- **No change to entry requirements**
- **Everyone is still required to wear face covering indoors (unless alone in closed room)**
- **Everyone must complete Vaccine Declaration by November 1**
- **Still a minimum of 2 weeks for travel approvals**
  - **Volker's approval is first**
- **COVID Self-Tests available in B050**

# Chemical Management

---



## Things That are Happening Now

- Working Towards New Inventory System (June 2022)
- RFID Tags on all Containers (In Process – Working on High Hazard)
- Extent of Condition required by all divisions for secondary containers of High Hazard chemicals (Acute Toxicity, Pyrophoric, Time Sensitive, Water Reactive, HF, Explosives)

Even as this is happening, we need to make sure all hazardous materials are entered, maintained, and removed properly in the current CMS

- All consumer adhesives and sealants must be inventoried.
- All gas cylinders shall be inventoried.

# RAD Sealed Sources



## Requirements found in the WPC activity

- Postings – Based on Isotope/Activity
  - Controlled Area – Something in the area – GERT
  - Radioactive Material Area (RMA) – Exceeds Isotope/Activity amount – GERT
  - Radiation Area – 5 mrem/h @30cm – Rad Worker I
- Labeling
  - Required on the source (or container if source too small)
- Dosimetry
  - Whole Body
  - Finger Rings
- Use Log
  - Document use outside of storage location
- During Use
  - Labeled container must remain in the area
  - May use orange “Work in Progress” cone





---

# QUESTIONS?